





SHANGHAI LUCKILY CO.,LTD
ADD:89-4, LUJIROAD,CHUANSHA NEW TOWN,
PUDONG AREA, SHANGHAI,CHINA
MOBILE:008615821190349
OFFICE PH:0086-21-58167678
MAIL:sales002@jm-lighting.cn
Web:www.xq-lighting.com



>>> 产品手册
Product manuals

T8 Grille lamp/Recessed Type

特点 Features




ILUS418-3040 4x18w



ILUS318-3030 3x18w



ILUS236-3060 2x36w



230V
50Hz

IP
20

Household

Recessed

T8

0.5

Grounding

RoHS

CE

RoHS

RoHS


ITEM NO	POWER (W)	DIMENSION (MM)	LAMPH OLDER	BALLAST	PER CARTON	CARTON SIZE (CM)
		L*W*H	L1			
ILUS118-3010	T8 1*18W	595*195*75/605*195*75	624	G13	MAG/ELE	2 63.5x21.5x16.5
ILUS218-3020	T8 2*18W	595*295*75/605*305*75	624	G13	MAG/ELE	2 63.5x31.5x16.5
ILUS318-3030	T8 3*18W	595*595*75/605*605*75	624	G13	MAG/ELE	2 63.5x63x16.5
ILUS418-3040	T8 4*18W	595*595*75/605*605*75	624	G13	MAG/ELE	2 63.5x63x16.5
ILUS136-3050	T8 1*36W	1195*195*75/1215*195*75	1234	G13	MAG/ELE	2 124.5x21.5x16.5
ILUS236-3060	T8 2*36W	1195*295*75/1215*305*75	1234	G13	MAG/ELE	2 124.5x31.5x16.5
ILUS336-3070	T8 3*36W	1195*595*75/1215*605*75	1234	G13	MAG/ELE	2 124.5x63x16.5
ILUS436-3080	T8 4*36W	1195*595*75/1215*605*75	1234	G13	MAG/ELE	2 124.5x63x16.5
ILUS158-3090	T8 1*58W	1495*195*75	1534	G13	MAG/ELE	2 154.5x21.5x16.5
ILUS258-3110	T8 2*58W	1495*295*75	1534	G13	MAG/ELE	2 154.5x31.5x16.5



small fixture



Click



Spring click



I type



V type

T8 Grille lamp/ Surface Type

特点 Features




ILUS418-2040 4x18w



ILUS318-2030 3x18w



ILUS236-2060 2x36w




ITEM NO	POWER (W)	DIMENSION (MM)	LAMPH OLDER	BALLAST	PER CARTON	CARTON SIZE (CM)
ILUS118-2010	T8 1*18W	613*195*75	G13	MAG/ELE	2	64x21.5x16.5
ILUS218-2020	T8 2*18W	613*295*75	G13	MAG/ELE	2	64x31.5x16.5
ILUS318-2030	T8 3*18W	613*613*75	G13	MAG/ELE	2	64x63x16.5
ILUS418-2040	T8 4*18W	613*613*75	G13	MAG/ELE	2	64x63x16.5
ILUS136-2050	T8 1*36W	1222*195*75	G13	MAG/ELE	2	124.5x21.5x16.5
ILUS236-2060	T8 2*36W	1222*295*75	G13	MAG/ELE	2	124.5x31.5x16.5
ILUS336-2070	T8 3*36W	1222*595*75	G13	MAG/ELE	2	124.5x61.5x16.5
ILUS436-2080	T8 4*36W	1222*595*75	G13	MAG/ELE	2	124.5x61.5x16.5
ILUS158-2090	T8 1*58W	1522*195*75	G13	MAG/ELE	2	154.5x21.5x16.5
ILUS258-2110	T8 2*58W	1522*295*75	G13	MAG/ELE	2	154.5x31.5x16.5



Click



Spring click



I type



V type

T8 Grille lamp/Surface Type

特点 Features




ILUS418-52640 4x18w



ILUS218-52620 2x18w



ILUS236-52660 2x36w




ITEM NO	POWER (W)	DIMENSION (MM)	LAMPH OLDER	BALLAST	PER CARTON	CARTON SIZE (CM)
ILUS118-52610	T8 1*18W	613*195*75	G13	MAG/ELE	2	64x21.5x16.5
ILUS218-52620	T8 2*18W	613*295*75	G13	MAG/ELE	2	64x31.5x16.5
ILUS318-52630	T8 3*18W	613*613*75	G13	MAG/ELE	2	64x63x16.5
ILUS418-52640	T8 4*18W	613*613*75	G13	MAG/ELE	2	64x63x16.5
ILUS136-52650	T8 1*36W	1222*195*75	G13	MAG/ELE	2	124.5x21.5x16.5
ILUS236-52660	T8 2*36W	1222*295*75	G13	MAG/ELE	2	124.5x31.5x16.5
ILUS336-52670	T8 3*36W	1222*595*75	G13	MAG/ELE	2	124.5x61.5x16.5
ILUS436-52680	T8 4*36W	1222*595*75	G13	MAG/ELE	2	124.5x61.5x16.5
ILUS158-52690	T8 1*58W	1522*195*75	G13	MAG/ELE	2	154.5x21.5x16.5
ILUS258-52700	T8 2*58W	1522*295*75	G13	MAG/ELE	2	154.5x31.5x16.5







Spring Click



Opal Type



特点 Features

A photograph of a modern office interior. The space features a curved black wall with a yellow circular accent. A large potted plant stands on the left, and a long dark carpet runner leads towards a glass door. The ceiling has recessed lighting, and the floor is a light-colored tile.

T8 Grille lamp/ Recessed Type

特点 Features



ILUS336-9020 3x36w



ITEM NO	POWER (W)	DIMENSION (MM)	LAMP OLDER	BALLAST	PER CARTON	CARTON SIZE (CM)
ILUS236-9010	T8 2*36W	595*595*80	2G11	MAG/ELE	2	64x64x17.5
ILUS336-9020	T8 3*36W	595*595*80	2G11	MAG/ELE	2	64x64x17.5





Click



I type



V type




T8 Grille lamp/ Indirect Lamp

特点 Features



ILUS236-52010 2x36w



ILUS414-52030 4x14w

ITEM NO	POWER (W)	DIMENSION (MM)	LAMP OLDER	BALLAST	PER CARTON	CARTON SIZE (CM)
ILUS236-52010	T8 2*36W	595*595*107	2G11	MAG/ELE	2	63x63x23.5
ILUS236-52020	T8 2*36W	1195*295*107	2G11	MAG/ELE	2	125x31.5x23.5
ILUS414-52030	T8 4*14W	595*595*107	G5	ELE	2	63x63x23.5



ILUS236-52020 2x36w



T8 Grille lamp/ Recessed Type

特点 Features




ILUS318-8020 3x18w



ILUS236-8040 2x36w



ILUS336-8050 3x36w



ITEM NO	POWER (W)	DIMENSION (MM)	LAMPH OLDER	BALLAST	PER CARTON	CARTON SIZE (CM)
ILUS218-8010	T8 2*18W	598*298*80	G13	MAG/ELE	2	64x34x17.5
ILUS318-8020	T8 3*18W	598*598*80	G13	MAG/ELE	2	64x64x17.5
ILUS418-8030	T8 4*18W	598*598*80	G13	MAG/ELE	2	64x64x17.5
ILUS236-8040	T8 2*36W	1198*298*80	G13	MAG/ELE	2	125x34x17.5
ILUS336-8050	T8 3*36W	1198*598*80	G13	MAG/ELE	2	125x64x17.5
ILUS436-8060	T8 4*36W	1198*598*80	G13	MAG/ELE	2	125.5x64x17.5



Click



I type



V type

T8 Grille lamp/ Surface Type-Round Corner

特点 Features



ILUS418-4040 4x18w



ILUS336-4060 3x36w



ILUS236-4050 2x36w




ITEM NO	POWER (W)	DIMENSION (MM)	LAMPH OLDER	BALLAST	PER CARTON	CARTON SIZE (CM)
ILUS218-4020	T8 2*18W	645*330*56	G13	MAG/ELE	2	66. 5x35x13. 5
ILUS318-4030	T8 3*18W	645*645*56	G13	MAG/ELE	2	66. 5x66. 5x13. 5
ILUS418-4040	T8 4*18W	645*645*56	G13	MAG/ELE	2	66. 5x66. 5x13. 5
ILUS236-4050	T8 2*36W	1255*330*56	G13	MAG/ELE	2	127. 5x35x13. 5
ILUS336-4060	T8 3*36W	1255*645*56	G13	MAG/ELE	2	127. 5x66. 5x13. 5
ILUS436-4070	T8 4*36W	1255*645*56	G13	MAG/ELE	2	127. 5x66. 5x13. 5



I type



V type



230V
50Hz

IP
20



T8

[m]
0.5




RoHS

T8 Grille lamp / Recessed Type (Prismatic Model)

特点 Features



ILUS418-5040 4*18W



ILUS218-5020 2*18W



ILUS236-5060 2*36W



Function and Advantage

- Soft Lighting emitting and dust-proof


Prismatic shield

- Optional material: PMMA, PS
- Optional color: opal or prismatic


ITEM NO	POWER (W)	DIMENSION (MM)	LAMPH OLDER	BALLAST	PER CARTON	CARTON SIZE (CM)
		L*W*H				
ILUS118-5010	T8 1*18W	595*195*75/605*195*75	624	G13	MAG/ELE	2 63.5x21.5x16.5
ILUS218-5020	T8 2*18W	595*295*75/605*305*75	624	G13	MAG/ELE	2 63.5x31.5x16.5
ILUS318-5030	T8 3*18W	595*595*75/605*605*75	624	G13	MAG/ELE	2 63.5x63x16.5
ILUS418-5040	T8 4*18W	595*595*75/605*605*75	624	G13	MAG/ELE	2 63.5x63x16.5
ILUS136-5050	T8 1*36W	1195*195*75/1215*195*75	1234	G13	MAG/ELE	2 124.5x21.5x16.5
ILUS236-5060	T8 2*36W	1195*295*75/1215*305*75	1234	G13	MAG/ELE	2 124.5x31.5x16.5
ILUS336-5070	T8 3*36W	1195*595*75/1215*605*75	1234	G13	MAG/ELE	2 124.5x63x16.5
ILUS436-5080	T8 4*36W	1195*595*75/1215*605*75	1234	G13	MAG/ELE	2 124.5x63x16.5
ILUS158-5090	T8 1*58W	1495*195*75	1534	G13	MAG/ELE	2 154.5x21.5x16.5
ILUS258-5110	T8 2*58W	1495*295*75	1534	G13	MAG/ELE	2 154.5x31.5x16.5



small fixture




Spring click




T8 Grille lamp/Recessed Opal Type

特点 Features





ILUS418-7040 4x18w




ILUS218-7020 2x18w



ILUS236-7060 2x36w



ITEM NO	POWER (W)	DIMENSION (MM)	LAMPH OLDER	BALLAST	PER CARTON	CARTON SIZE (CM)
		L*W*H	L1			
ILUS118-7010	T8 1*18W	595*195*75/605*195*75	624	G13	MAG/ELE	2 64x21.5x16.5
ILUS218-7020	T8 2*18W	595*295*75/605*305*75	624	G13	MAG/ELE	2 64x31.5x16.5
ILUS318-7030	T8 3*18W	595*595*75/605*605*75	624	G13	MAG/ELE	2 64x63x16.5
ILUS418-7040	T8 4*18W	595*595*75/605*605*75	624	G13	MAG/ELE	2 64x63x16.5
ILUS136-7050	T8 1*36W	1195*195*75/1215*195*75	1234	G13	MAG/ELE	2 124.5x21.5x16.5
ILUS236-7060	T8 2*36W	1195*295*75/1215*305*75	1234	G13	MAG/ELE	2 124.5x31.5x16.5
ILUS336-7070	T8 3*36W	1195*595*75/1215*605*75	1234	G13	MAG/ELE	2 124.5x63x16.5
ILUS436-7080	T8 4*36W	1195*595*75/1215*605*75	1234	G13	MAG/ELE	2 124.5x63x16.5
ILUS158-7090	T8 1*58W	1495*195*75	1534	G13	MAG/ELE	2 154.5x21.5x16.5
ILUS258-7110	T8 2*58W	1495*295*75	1534	G13	MAG/ELE	2 154.5x31.5x16.5



Spring click



small fixture



T5 Grille lamp/ Recessed Type


特点 Features




ILUS414-52330 4x14w



ILUS228-52340 2x28w



ITEM NO	POWER (W)	DIMENSION (MM)	LAMPH OLDER	BALLAST	PER CARTON	CARTON SIZE (CM)
ILUS214-52310	T5 2*14W	595*295*62	G5	ELE	2	62x31.5x13..5
ILUS314-52320	T5 3*14W	595*595*62	G5	ELE	2	62x62x13.5
ILUS414-52330	T5 4*14W	595*595*62	G5	ELE	2	62x62x13.5
ILUS228-52340	T5 2*28W	1195*295*62	G5	ELE	2	124x31.5x13.5
ILUS328-52350	T5 3*28W	1195*595*62	G5	ELE	2	124x61.5x13.5
ILUS428-52360	T5 4*28W	1195*595*62	G5	ELE	2	124x61.5x13.5
ILUS235-52370	T5 2*35W	1495*295*62	G5	ELE	2	154x31.5x13.5
ILUS249-52380	T5 2*49W	1495*295*62	G5	ELE	2	154x31.5x13.5
ILUS254-52390	T5 2*54W	1195*295*62	G5	ELE	2	154x31.5x13.5




T5 Grille lamp/ Surface Type



特点 Features



ILUS414-52430 4x14w



ILUS228-52440 2x28w



ITEM NO	POWER (W)	DIMENSION (MM)	LAMP OLDER	BALLAST	PER CARTON	CARTON SIZE (CM)
ILUS214-52410	T5 2*14W	613*295*62	G5	ELE	2	63x31.5x13..5
ILUS314-52420	T5 3*14W	613*613*62	G5	ELE	2	63x63x13.5
ILUS414-52430	T5 4*14W	613*613*62	G5	ELE	2	63x63x13.5
ILUS228-52440	T5 2*28W	1222*295*62	G5	ELE	2	124x31.5x13.5
ILUS328-52450	T5 3*28W	1222*595*62	G5	ELE	2	124x61.5x13.5
ILUS428-52460	T5 4*28W	1222*595*62	G5	ELE	2	124x61.5x13.5
ILUS235-52470	T5 2*35W	1522*295*62	G5	ELE	2	154x31.5x13.5
ILUS249-52480	T5 2*49W	1522*295*62	G5	ELE	2	154x31.5x13.5
ILUS254-52490	T5 2*54W	1222*295*62	G5	ELE	2	154x31.5x13.5




I type




V type

T5 Grille lamp/ Recessed Type


特点 Features





ILUS414-52130 4x14w



ILUS314-52120 3x14w



ILUS228-52140 2x28w



ITEM NO	POWER (W)	DIMENSION (MM)	LAMP HOLDER	BALLAST	PER CARTON	CARTON SIZE (CM)
ILUS214-52110	T5 2*14W	595*295*62	G5	ELE	2	62x31.5x13..5
ILUS314-52120	T5 3*14W	595*595*62	G5	ELE	2	62x62x13.5
ILUS414-52130	T5 4*14W	595*595*62	G5	ELE	2	62x62x13.5
ILUS228-52140	T5 2*28W	1195*295*62	G5	ELE	2	124x31.5x13.5
ILUS328-52150	T5 3*28W	1195*595*62	G5	ELE	2	124x61.5x13.5
ILUS428-52160	T5 4*28W	1195*595*62	G5	ELE	2	124x61.5x13.5
ILUS235-52170	T5 2*35W	1495*295*62	G5	ELE	2	154x31.5x13.5
ILUS249-52180	T5 2*49W	1495*295*62	G5	ELE	2	154x31.5x13.5
ILUS254-52190	T5 2*54W	1195*295*62	G5	ELE	2	154x31.5x13.5



Click



I type